

## CR2307 - AFRS Transaction Code Table

Optional table. Codes defined by SBCTC-ITD.

Use the AFRS (Agency Financial Reporting System) Transaction Code Table to view and modify, as allowed, AFRS transaction codes, corresponding titles, statuses and transaction edits.

### User Function Keys

Protected Functions	
F2	ADD
F3	CHANGE, except as noted below
User Functions	
F1	REFRESH
F3	CHANGE Title, Status (except "D")
F4	INQUIRY
F8	MENU

### Data Fields

<a href="#">AFRS TRNS CODE</a> (key field)	<a href="#">AFRS GENERAL LEDGERS</a>
<a href="#">TITLE</a>	<a href="#">DR1 (display only)</a>
<a href="#">EDIT STATUS</a> (required)	<a href="#">CR1 (display only)</a>
<a href="#">RVSN DATE</a> (display only)	<a href="#">DR2 (display only)</a>
<a href="#">TRNS CD 13TH MO</a>	<a href="#">CR2 (display only)</a>
<a href="#">TRNS CD 25TH MO</a>	<a href="#">DR3 (display only)</a>
<a href="#">AFRS SUBSID ACCT</a>	<a href="#">CR3 (display only)</a>
<a href="#">AFRS BATCH TYPE</a>	<a href="#">DR4 (display only)</a>
<a href="#">AFRS WARRANT IND</a>	<a href="#">CR4 (display only)</a>
<a href="#">TRANSACTION EDITS</a> (required)	

### AFRS Transaction Code (AFRS-TRNS-CD)

<b>Description</b>	Key field. A code identifying the AFRS transaction code used for external reporting.
<b>Length</b>	3 characters

### Title (TITLE)

<b>Description</b>	A title defined by a college for the AFRS transaction code.
<b>Length</b>	20 characters

### Edit Status (EDIT-STAT)

<b>Description</b>	Entry required. A code indicating the status of the key field.
--------------------	--

<b>Values</b>	Defined by SBCTC-ITD as follows:  <b>A</b> Active (default) <b>L</b> Limited <b>I</b> Inactive <b>D</b> Delete
---------------	---

### Revision Date (RVSN-DATE)

<b>Description</b>	Display only. A date assigned by the system indicating when the current record was changed or added.
--------------------	--

### Transaction Code for the 13th Month (TRNS-CD-13TH-MO)

<b>Description</b>	A code identifying the transaction code used for reporting activity in the 13th/99th month.
<b>Length</b>	3 characters

### Transaction Code for the 25th Month (TRNS-CD-25TH-MO)

<b>Description</b>	A code identifying the transaction code used for reporting activity in the 25th month.
<b>Length</b>	3 characters

### AFRS Subsidiary Account (AFRS-SUBSID)

<b>Description</b>	A code indicating the subsidiary account used for external reporting.
<b>Length</b>	6 characters

### AFRS Batch Type (AFRS-BTCH-TYP)

<b>Description</b>	A code indicating the type of transactions in a batch.
<b>Length</b>	1 character

### AFRS Warrant Indicator (AFRS-WARRANT)

<b>Description</b>	A code indicating the effect a specific AFRS transaction code has on the warrant writing process.
<b>Length</b>	1 character

### Transaction Edits

<b>Description</b>	Entry required. A series of codes indicating which fields of the account structure are required, optional or not allowed for the specified transaction code.
<b>Length</b>	1 character
<b>Values</b>	Defined by SBCTC-ITD as follows:  <b>R</b> Required <b>N</b> Not allowed <b>O</b> Optional

### AFRS General Ledgers

Debit General Ledger 1 (DR-GL-1) Debit General Ledger 2 (DR-GL-2) Debit General Ledger 3 (DR-GL-3) Debit General Ledger 4 (DR-GL-4)	
<b>Description</b>	Display only. A code identifying the general ledger to be debited by the transaction.
<b>Length</b>	4 characters
<b>Edits</b>	Must be valid on the General Ledger Table (GA1031).

Credit General Ledger 1 (CR-GL-1) Credit General Ledger 2 (CR-GL-2) Credit General Ledger 3 (CR-GL-3) Credit General Ledger 4 (CR-GL-4)	
<b>Description</b>	Display only. A code identifying the general ledger to be credited by the transaction.
<b>Length</b>	4 characters
<b>Edits</b>	Must be valid on the General Ledger Table (GA1031).

### Data Sets

Additions and changes made on this screen may update the following data sets:

- AFRS Transaction Code Table (AFRS-TRNS-CD-M)